



M. S. ENGINEERS

**MFRS. : ANTI VIBRATION / LEVELLING PADS & MACHINE MOUNTS
SPECIALIST RUBBER MOULDED & CAST PU - NYLON PRODUCTS**



Off. & Works :- 11 & 15, KAMAL ESTATE, NR. BOMBAY CONDUCTOR, G.I.D.C., VATVA, AHMEDABAD - 382 445. (GUJARAT)

Tele. :- (079) 2583 1752


(M) :- 093270 62970 - 094260 77404

E mail :- msengrs@yahoo.in • msengrs@gmail.com • www.msrubberpu-vibrationpad.com



ANTI VIBRATION PADS

Item no	ITEM CODE SIZE	BOLT SIZE	Adjustment
AVM LEVLLING	MSL- O ø 50 MM	M10 / M12	3 MM
AVM LEVLLING	MSL- I ø 80 MM	M12 / M16	6 MM
AVM LEVLLING	MSL- II ø 120 MM	M12 / M16 / M20	8 MM
AVM LEVLLING	MSL- III ø 160 MM	M16 / M20	12 MM
AVM LEVLLING	MSL- IV ø 200 MM	M20 / M24	14 MM





M. S. ENGINEERS

**MFRS. : ANTI VIBRATION / LEVELLING PADS & MACHINE MOUNTS
SPECIALIST RUBBER MOULDED & CAST PU - NYLON PRODUCTS**



Off. & Works :- 11 & 15, KAMAL ESTATE, NR. BOMBAY CONDUCTOR, G.I.D.C., VATVA, AHMEDABAD - 382 445. (GUJARAT)

Tele. :- (079) 2583 1752

(M) :- 093270 62970 - 094260 77404

E mail :- msengrs@yahoo.in • msengrs@gmail.com • www.msrubberpu-vibrationpad.com

MSL MACHINERY MOUNTS




ITEM CODE	DIA	HEIGHT	BOLT	COLOUR
MS LEVEL PAD	DIA - 145	60	M16 / M20	YELLOW / BLACK
MS LEVEL PAD	DIA - 195	70	M20 / M24	YELLOW / BLACK

Note - All Dimensions Mentioned are in MM

Colour mentioned are available in Ready stock

Variant of Colours is also available as per Your requirement - MOQ- 100 PCS





M. S. ENGINEERS

**MFRS. : ANTI VIBRATION / LEVELLING PADS & MACHINE MOUNTS
SPECIALIST RUBBER MOULDED & CAST PU - NYLON PRODUCTS**



Off. & Works :- 11 & 15, KAMAL ESTATE, NR. BOMBAY CONDUCTOR, G.I.D.C., VATVA, AHMEDABAD - 382 445. (GUJARAT)

Tele. :- (079) 2583 1752


(M) :- 093270 62970 - 094260 77404

E mail :- msenars@vahoo.in • msenars@amail.com • www.msrubberpu-vibrationpad.com

MSE SIDE STUD LEVELLING MOUNTS



ITEM CODE	DI / H1 X D2	HEIGHT	LOAD CAPACITY	LEVELLING ADJUSTMENT
AVM STAR	DIA 130	90 X M16 STUD	1 T	8 MM ADJUSTMENT
AVM STAR	DIA 160	95 X M16 STUD	1.5 T	10 MM ADJUSTMENT
AVM STAR	DIA 220	105 X M20 STUD	2.5 T	15 MM ADJUSTMENT





M. S. ENGINEERS

**MFRS. : ANTI VIBRATION / LEVELLING PADS & MACHINE MOUNTS
SPECIALIST RUBBER MOULDED & CAST PU - NYLON PRODUCTS**



Off. & Works :- 11 & 15, KAMAL ESTATE, NR. BOMBAY CONDUCTOR, G.I.D.C., VATVA, AHMEDABAD - 382 445. (GUJARAT)


Tele. :- (079) 2583 1752

(M) :- 093270 62970 - 094260 77404

E mail :- msenars@vahoo.in • msenars@amail.com • www.msrrubberou-vibrationpad.com

Wedge Mount

TAPPER PAD M. S BRAND



M. S. ENGINEERS Wedge Mount is designed for applications requiring passive T damping and installation of high load equipment. This design incorporates a high-precision leveling system for easy height adjustment. And the large supporting surface of the wedge mounts permits optimum foundation support and rigidity. High solidity and equally high vibration insulation are obtained through the addition of selected insulating plates. The rectangular shape of the Mount is yet another advantage. This helps eliminate pad roll and entrapment of coolants and oils beneath the pad.




Applications:-

- Injection Molding Machines
- VMC Machines
- Machine Tools
- Presses
- Stamping Machines
- Boring Machines
- General Multi-Purpose Machines with Long Beds
- CNC Lathes
- Surfaces and Cylindrical Grinders
- Drilling & Milling Machines
- Machining Centers
- Transfer lines



TYPE	LOAD KGS	LENGTH(L)MM	WIDTH(B)MM	HEIGHT(H)MM	RANGE OF ADJUSTMENT(MM)
AMWM-	1200	150	115	75	20
AMWM-	4400	250	200	95	35





M. S. ENGINEERS

**MFRS. : ANTI VIBRATION / LEVELLING PADS & MACHINE MOUNTS
SPECIALIST RUBBER MOULDED & CAST PU - NYLON PRODUCTS**




Off. & Works :- 11 & 15, KAMAL ESTATE, NR. BOMBAY CONDUCTOR, G.I.D.C., VATVA, AHMEDABAD - 382 445. (GUJARAT)

Tele. :- (079) 2583 1752

(M) :- 093270 62970 - 094260 77404

E mail :- msengrs@yahoo.in • msengrs@gmail.com • www.msrubberpu-vibrationpad.com

MSE DESIGN -2 SIDE WEDGE HEAVY DUTY





VIBRATION MOUNTS




TAPER WEDGE MOUNTS

09327062970



S.No.	Model	Load Capacity (Kg.)	Length L (mm)	Width B (mm)	Height H (mm)	Max. Torque value (mm)	Adjustment Range(mm)
1.	MS SIDE WEDGE	4500	270	145	80	220	+ / - 5





M. S. ENGINEERS

**MFRS. : ANTI VIBRATION / LEVELLING PADS & MACHINE MOUNTS
SPECIALIST RUBBER MOULDED & CAST PU - NYLON PRODUCTS**



Off. & Works :- 11 & 15, KAMAL ESTATE, NR. BOMBAY CONDUCTOR, G.I.D.C., VATVA, AHMEDABAD - 382 445. (GUJARAT)

Tele. :- (079) 2583 1752

(M) :- 093270 62970

- 094260 77404

E mail :- msengrs@yahoo.in • msengrs@gmail.com • www.msrubberpu-vibrationpad.com

MSE WOLLEN BASE



LEVELLING PAD


M.S. ENGINEERS MANUFACTURES ANTI VIBRATION LEVELLING PADS SPECIALLY FOR PLASTIC INJECTION MOULDING MACHINES WITH DIFFERENT LOAD CAPACITY AS PER CHART BELOW.

DESCRIPTION	MS - I	MS - II	MS - III	MS - IV	MS - V
ANTI VIBRATION PAD SIZE IN mm	135 X 85 RECTANGLE	205 X 130 RECTANGLE	130 Dia. ROUND	180 Dia. ROUND	205 Dia. ROUND
PAD HEIGHT IN mm	60 TO 70	65 TO 75	70 TO 80	75 TO 85	75 TO 85
H.T. BOLT SIZE IN mm	M16 X 75 L	M 20 X 80 L	M 20 X 80 L	M 20 X 150 L	M 24 X 150 L
STATIC LOAD IN Kg.	700	1500	1200	2500	3000



SALIENT FEATURES OF ANTI VIBRATION LEVELLING PADS & MOUNTING PADS

- (1) FOUNDATION NOT REQUIRED, IMMEDIATE COMMISSIONING.
- (2) ELIMINATES VIBRATION / SHOCK / NOISE.
- (3) REDUCES WEAR & TEAR OF MACHINES.
- (4) LESS MAINTENANCE PROBLEMS.
- (5) BETTER PERFORMANCE.
- (6) FLEXIBILITY OF PLANT LAY OUT.
- (7) CAN BE INSTALLED ANY WHERE EVEN ON UPPER FLOOR.
- (8) AVAILABLE IN DIFFERENT SHAPE / SIZE TO SUIT ANY LOAD.
- (9) USEFUL FOR ANY MACHINES GENERATING VIBRATIONS.





M. S. ENGINEERS

**MFRS. : ANTI VIBRATION / LEVELLING PADS & MACHINE MOUNTS
SPECIALIST RUBBER MOULDED & CAST PU - NYLON PRODUCTS**




Off. & Works :- 11 & 15, KAMAL ESTATE, NR. BOMBAY CONDUCTOR, G.I.D.C., VATVA, AHMEDABAD - 382 445. (GUJARAT)

Tele. :- (079) 2583 1752

(M) :- 093270 62970 - 094260 77404

E mail :- msengrs@yahoo.in • msengrs@gmail.com • www.msrubberpu-vibrationpad.com

MSE SINGLE SIDE JACK LEVELLING PAD




Major used of this Levelling pad

- CNC , VMC , MSE Single side is used for light to medium weight machines suited to levelling screw support or having tapped hole in the base.

ITEM CODE	SIZE (MM)	COLOUR
MS - 130 SOLID	130 X 35 THK	YELLOW / BLACK
MS- 160 SOLID	160 X 35 THK	YELLOW / BLACK

Note- All Dimensions are Accurately mentioned
Colour Mentioned are available colour
Different colour are available as per Your Requirement





M. S. ENGINEERS

**MFRS. : ANTI VIBRATION / LEVELLING PADS & MACHINE MOUNTS
SPECIALIST RUBBER MOULDED & CAST PU - NYLON PRODUCTS**




Off. & Works :- 11 & 15, KAMAL ESTATE, NR. BOMBAY CONDUCTOR, G.I.D.C., VATVA, AHMEDABAD - 382 445. (GUJARAT)

Tele. :- (079) 2583 1752

(M) :- 093270 62970 - 094260 77404

E mail :- msengrs@yahoo.in • msengrs@gmail.com • www.msrubberpu-vibrationpad.com

MSE SWIVEL TYPE Levelling Pad




ITEM CODE	DIA	STUD SIZE	BASE	COLOUR
M.S. SWIVEL PAD	BASE - 80	M10/ M12/M16 - LENGTH AS PER REQUIREMENT	POLYAMIDE (NYLON MATERIAL)	YELLOW / BLACK
M. S. SWIVEL PAD	BASE-100	M12/ M16/M20 - LENGTH AS PER REQUIREMENT	POLYAMIDE (NYLON MATERIAL)	YELLOW / BLACK

Size of Bolt Available as per Your Requirement

ONLY- YELLOW & BLACK COLOUR Variants are Available

Swivel levelling pads are used to level machines and equipment on uneven surfaces and to isolate vibrations. They allow for height adjustment and can compensate for uneven floors, ensuring stability and proper machine function





M. S. ENGINEERS

**MFRS. : ANTI VIBRATION / LEVELLING PADS & MACHINE MOUNTS
SPECIALIST RUBBER MOULDED & CAST PU - NYLON PRODUCTS**





Off. & Works :- 11 & 15, KAMAL ESTATE, NR. BOMBAY CONDUCTOR, G.I.D.C., VATVA, AHMEDABAD - 382 445. (GUJARAT)

Tele. :- (079) 2583 1752

(M) :- 093270 62970 - 094260 77404



E mail :- msengrs@yahoo.in • msengrs@gmail.com • www.msrubberpu-vibrationpad.com

MSE COMPRESSOR SHEAR HEAVY MOUNTS



**M. S.
ENGINEERS**

HEAVY MACHINE MOUNTS



For machines requiring vibration damping in both compression and shear. An anti skid plate is provided in the base of the mount to prevent machine walking. These mounts can also be anchored to the floor through the holes provided in the base

Applications: Generators, Blowers, Pumps, ID & FD Fans, Cooling Towers, etc.

ITEM CODE	A (MM)	E (MM)	F (MM)	G (MM)	H	J (MM)
SMALL COMPRESSOR MOUNTS	70	77	124	80	1/2"	14
LARGE COMPRESSOR MOUNTS	110	136	200	156	M-16	15

